

8 PORT SPLICE BOX - FIMP-XL-8XSCD-62,5-MM- OM1

Item No.: 422.415



DESCRIPTIONS OF FUNCTIONS

The 8 Port splice box (or. patch panel) is the ideal solution for the transfer point of the fiber optic field wiring. The box is fully fitted with the components needed: splice tray, couplings, pigtails and cable gland. Because of the compact and robust design, it is ideally suited for industrial environments.

TECHNICAL DATA

FX Ports	
Number	8
Connector	SC
Optical fiber	Multimode
Optical fiber type	62,5/125 µm
Optical fiber category	OM1
Cable entries	Cable gland M20 (for cable with max. 13,8 mm outer diameter)
Insertion loss	<= 0,3 dB/km
Dimensions:	72 mm x 138 mm x 128 mm (W x H x D)
Mounting:	DIN rail
Operation temperature:	-40 ... 75 °C
Humidity:	10 ... 95 % RHD, non-condensing
Weight:	860 g
Housing:	Stainless steel, powder coated
Protection class:	IP20

meteocontrol GmbH | Spicherer Straße 48 | 86157 Augsburg | Germany | phone +49 (0)821 34666 - 0 |
 fax +49 (0)821 34666 - 11 email info@meteocontrol.com | web www.meteocontrol.com

meteocontrol North America | 1110 W. Lake Cook Road Ste 370 | Buffalo Grove | Illinois | phone +1 (224) 310-5700
 email info-na@meteocontrol.com | web www.meteocontrol.com